

## PUBLICACIONES WP3

### [HIV-1 exploits CCR5 conformational heterogeneity to escape inhibition by chemokines.](#)

Colin P, Bénureau Y, Staropoli I, Wang Y, Gonzalez N, Alcamí J, Hartley O, Brelot A, Arenzana-Seisdedos F, Lagane B.  
Proc Natl Acad Sci U S A. 2013 Jun 4;110(23):9475-80. doi: 10.1073/pnas.1222205110. Epub 2013 May 21.

### [Long-term suppressive combined antiretroviral treatment does not normalize the serum level of soluble CD14.](#)

Méndez-Lagares G, Romero-Sánchez MC, Ruiz-Mateos E, Genebat M, Ferrando-Martínez S, Muñoz-Fernández MÁ, Pacheco YM, Leal M.  
J Infect Dis. 2013 Apr 15;207(8):1221-5. doi: 10.1093/infdis/jit025. Epub 2013 Jan 15.

### [Specific patterns of CD4-associated immunosenescence in vertically HIV-infected subjects.](#)

Méndez-Lagares G, Díaz L, Correa-Rocha R, León Leal JA, Ferrando-Martínez S, Ruiz-Mateos E, Pozo-Balado MM, Gurbindo MD, de José MI, Muñoz-Fernández MA, Leal M, Pacheco YM.  
Clin Microbiol Infect. 2013 Jun;19(6):558-65. doi: 10.1111/j.1469-0691.2012.03934.x. Epub 2012 Jun 27.

### [Subclinical atherosclerosis and markers of immune activation in HIV-infected children and adolescents: The CaroVIH Study.](#)

Sainz T, Alvarez-Fuente M, Navarro ML, Díaz L, Rojo P, Blázquez D, Isabel de José M, Ramos JT, Serrano-Villar S, Martínez J, Medrano C, Muñoz-Fernández MA, Mellado MJ.  
J Acquir Immune Defic Syndr. 2013 Aug 26. [Epub ahead of print]

### [TNF-A May Mediate Inflammasome Activation in the Absence of Bacterial Infection in More than One Way.](#)

Alvarez S, Muñoz-Fernández MÁ.  
PLoS One. 2013 Aug 7;8(8):e71477. doi: 10.1371/journal.pone.0071477. Print 2013.

### [Changes in codon-pair bias of human immunodeficiency virus type 1 have profound effects on virus replication in cell culture.](#)

Martus G, Nevot M, Andres C, Clotet B, Martínez MA.  
Retrovirology. 2013 Jul 25;10:78. doi: 10.1186/1742-4690-10-78.

### [Early but limited effects of raltegravir intensification on CD4 T cell reconstitution in HIV-infected patients with an immunodiscordant response to antiretroviral therapy.](#)

Negredo E, Massanella M, Puertas MC, Buzón MJ, Puig J, Pérez-Alvárez N, Pérez-Santiago J, Bonjoch A, Moltó J, Jou A, Echeverría P, Llibre JM, Martínez-Picado J, Clotet B, Blanco J.  
J Antimicrob Chemother. 2013 May 14. [Epub ahead of print]

### [Assessing main death pathways in T lymphocytes from HIV infected individuals.](#)

Massanella M, Curriu M, Carrillo J, Gómez E, Puig J, Navarro J, Dalmau J, Martínez-Picado J, Crespo M, Cabrera C, Negredo E, Clotet B, Blanco J.  
Cytometry A. 2013 Jul;83(7):648-58. doi: 10.1002/cyto.a.22299. Epub 2013 May 6.

[The infectious synapse formed between mature dendritic cells and CD4\(+\) T cells is independent of the presence of the HIV-1 envelope glycoprotein.](#)

Rodríguez-Plata MT, Puigdomènech I, Izquierdo-Useros N, Puertas MC, Carrillo J, Erkizia I, Clotet B, Blanco J, Martínez-Picado J.  
Retrovirology. 2013 Apr 16;10:42. doi: 10.1186/1742-4690-10-42.

[The CD4/CD8 ratio as a marker T-cell activation, senescence and activation/exhaustion in treated HIV-infected children and young adults.](#)

Sainz T, Serrano-Villar S, Díaz L, González Tomé MI, Gurbindo MD, de José MI, Mellado MJ, Ramos JT, Zamora J, Moreno S, Muñoz-Fernández MA.  
AIDS. 2013 Jun 1;27(9):1513-6. doi: 10.1097/QAD.0b013e32835faa72.

[The CD4/CD8 ratio in HIV-infected subjects is independently associated with T-cell activation despite long-term viral suppression.](#)

Serrano-Villar S, Gutiérrez C, Vallejo A, Hernández-Novoa B, Díaz L, Abad Fernández M, Madrid N, Drona F, Zamora J, Muñoz-Fernández MÁ, Moreno S.  
J Infect. 2013 Jan;66(1):57-66. doi: 10.1016/j.jinf.2012.09.013. Epub 2012 Oct 6.

[Central memory CD4 T cells are associated with incomplete restoration of the CD4 T cell pool after treatment-induced long-term undetectable HIV viraemia.](#)

Rallón N, Sempere-Ortells JM, Soriano V, Benito JM.  
J Antimicrob Chemother. 2013 Jul 5. [Epub ahead of print]

[Predominance of CXCR4 tropism in HIV-1 CRF14 BG strains from newly diagnosed infections.](#)

Pérez-Álvarez L, Delgado E, Vega Y, Montero V, Cuevas T, Fernández-García A, García-Riart B, Pérez-Castro S, Rodríguez-Real R, López-Álvarez MJ, Fernández-Rodríguez R, Lezaun MJ, Ordóñez P, Ramos C, Bereciartua E, Calleja S, Sánchez-García AM, Thomson MM.  
J Antimicrob Chemother. 2013 Jul 30. [Epub ahead of print]

[European mitochondrial haplogroups are associated with CD4+ T cell recovery in HIV-infected patients on combination antiretroviral therapy.](#)

Guzmán-Fulgencio M, Berenguer J, Micheloud D, Fernández-Rodríguez A, García-Álvarez M, Jiménez-Sousa MA, Bellón JM, Campos Y, Cosín J, Aldámiz-Echevarría T, Catalán P, López JC, Resino S.  
J Antimicrob Chemother. 2013 Jun 7. [Epub ahead of print]

[Mitochondrial haplogroups are associated with clinical pattern of AIDS progression in HIV-infected patients.](#)

Guzmán-Fulgencio M, Jiménez JL, García-Álvarez M, Bellón JM, Fernández-Rodríguez A, Campos Y, Rodríguez C, González-García J, Riera M, Viciano P, Muñoz-Fernández MÁ, Resino S.  
J Acquir Immune Defic Syndr. 2013 Jun 1;63(2):178-83. doi: 10.1097/QAI.0b013e3182893f74.

[Maraviroc reduces cytokine expression and secretion in human adipose cells without altering adipogenic differentiation.](#)

Díaz-Delfín J, Domingo P, Giralt M, Villarroya F.  
Cytokine. 2013 Mar;61(3):808-15. doi: 10.1016/j.cyto.2012.12.013. Epub 2013 Jan 26.